

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L4 | 5 | (common with language with Qos) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/19 11:46 |
| L5 | 2 | (UML with language with Qos) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/19 11:48 |
| L7 | 1 | (behavioral same language same Qos) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/19 11:49 |
| S1 | 2 | "7020143".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 10:33 |
| S2 | 2 | "6940864".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 10:34 |
| S3 | 2 | "6147996".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 12:15 |
| S4 | 988 | (hierarch\$5 with queu\$4) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 12:38 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S6 | 7 | ((hierarch\$5 with queu\$4) and (propagat\$4 with (parameter or attribute))) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 16:25 |
| S7 | 1 | (hierarch\$5 with queu\$4).ti. and (propagat\$4) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 16:53 |
| S8 | 16 | (hierarch\$5 with queu\$4).ab. and (propagat\$4) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 16:54 |
| S10 | 1 | (hierarch\$5 same queu\$4 same propagat\$4 same (parameter or configur\$5) same root) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 17:15 |
| S11 | 4 | (queu\$4 same propagat\$4 same (parameter or configur\$5) same root) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 17:16 |
| S12 | 10 | (queu\$4 same (parameter or configur\$5) same root same leaf) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 17:24 |
| S13 | 71 | (queu\$4 same (parameter or configur\$5) same layered) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 17:34 |
| S14 | 21 | (queu\$4 same updat\$5 same root same leaf) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 17:35 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S16 | 7175 | (adminstrator same allocat \$5 sameh bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 18:20 |
| S18 | 398 | (user same allocat\$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 18:21 |
| S20 | 16 | (administrator same allocat \$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 18:21 |
| S21 | 37 | (user with allocat\$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/18 18:30 |

9/19/2008 1:34:40 PM

C:\Documents and Settings\sahmed\My Documents\EAST\Workspaces\10840126-Sept-19-2008-Chu_Case.wsp